
CLAMPING CHUCK 3 ZK 30 MINI, STAINLESS, WITH A SET OF JAWS TYPE A AND B



Clamping chuck

TYPE | ITEM NO.

3 ZK 30 | 10000.0110

Jaws, type A, B

TYPE A | ITEM NO.

3 ZKA 30 | 10000.0103


TYPE B | ITEM NO.

3 ZKB 30 | 10000.0104

TYPE W | ITEM NO.

33 ZKW 30 | 10000.0108

CLAMPING CHUCK 3 ZK 30 MINI, WITH PINS MADE OF SPRING STEEL



Clamping chuck

TYPE | ITEM NO.

3 ZK 30 | 10000.0130

Jaws, type A, B; A-jaws with pins made of spring steel | Inner clamping starting from Ø 2.0 mm

TYPE A | ITEM NO.

3 ZKA 30 with pins made of spring steel | 10000.0120

TYPE B | ITEM NO.

3 ZKB 30 | 10000.0104


TYPE W | ITEM NO.

3 ZKW 30 | 10000.0108

CLAMPING CHUCK 3 ZK 30 MINI, DIMENSIONS

Masstabelle [mm]

e (Breite)	3
a (Länge)	14
h (Stufenhöhe)	3
b (Höhe ab Futter-Oberfläche)	10
n (Futterhöhe)	17
c (Bund)	3
d	17



Spannbereiche Ø min.-max. [mm]

3 ZK 30	Ø
Innenspannen	6-34
Innenspannen, mit Stiften aus Federstahl (auf A-Backen)	ab 2.0
Aussenspannen	0.6-34

TRANSLATION

Breite = Width

Länge = Length

Stufenhöhe = Height of step

Höhe ab Futter-Oberfläche = Height from
chuck surface

Futterhöhe = Height of chuck

Backen-Verfahrweg = Jaw travel path

Spannbereiche = Clamping range

Innenspannen = Inner clamping

Innenspannen mit Stiften aus Federstahl
(auf A-Backen) = Inner clamping with pins
made of spring steel (on A jaws)

Aussenspannen = Outer clamping

We reserve the right to effect technical
modifications and to vary the design.