

MILLING



code H6314H0304 (HSK F63)
Available with HOMAG coupling
 1 blade outlet + ER25 collet. For inclined cutting/milling



code B6314B0031 (HSK F63)
 1 blade outlet + ER25 collet. For inclined cutting/milling



code B6314B0036 (ISO30)
 1 blade outlet + ER25 collet. For inclined cutting/milling



code H630234700 (HSK F63)
Available with Holzher coupling
 1 blade outlet + ER25 collet. For inclined cutting/milling



code H6314H0173 (HSK F63)
Available with HOMAG coupling
 1 blade outlet + ER25 collet. For inclined cutting/milling



code H6314H1012 (HSK F63)
Available with HOMAG coupling
 1 ER32 outlet on axis + 1 ER16. Ideal for heavy milling



code H6314H0932 (HSK F63)
 1 ER32 outlet on axis + 1 ER16. Ideal for heavy milling



code H6314H1068 (HSK F63)
Available with Busellato coupling
 1 ER32 outlet on axis + 1 ER16. Ideal for heavy milling



code H6314H0931 (ISO 30)
 1 ER32 outlet on axis + 1 ER16. Ideal for heavy milling



code H6314H0570 (HSK F63)
Available with SCM coupling
 1 ER32 outlet on axis + 1 ER16. Ideal for heavy milling



code H630244900 (ISO 30)
Available with Busellato coupling
 1 ER32 outlet on axis + 1 ER16. Ideal for heavy milling



code H630212000 (HSK F63)
 2 ER32 collet outlets + blade. For cutting/milling up to 50mm



code H630218700 (HSK F63)
Available with SCM coupling
 2 ER32-ER25 collet outlets + blade



code H6314H0320 (ISO 30)
Available with SCM coupling
 2 ER32-ER25 collet outlets + blade



code H630212100 (ISO 30)
 2 ER32 collet outlets + Ø180 blade. For cutting/milling up to 50mm



code H630212700 (HSK F63)
 1 ER25 collet outlet



code H630213700 (ISO30)
 1 ER25 collet outlet



cod. H630211600 (HSK F63)
 2 ER25 collet outlets



code H630211700 (ISO 30)
2 ER25 collet outlets



code H6314H0398 (HSK F63)
2 ER32 collet outlets + Ø215 blade.
For heavy milling and cutting up to 50mm



code H6314H0402 (ISO 30)
2 ER32collet outlets + Ø215 blade.
For heavy milling and cutting up to 50mm



code B6314B0028 (HSK F63)
4 ER25 collet outlets. Max milling flexibility



code H630218600 (ISO30)
4 ER25 collet outlets. Max milling flexibility



code H6314H0312 (HSK F63)
Available with HOMAG coupling
4 ER25 collet outlets. Max milling flexibility



code H6314H0295 (HSK F63)
4 ER25 (3 right + 1 left) collet outlets. Tall. Max milling flexibility



code 6314A0622 (HSK F63)
1 ER25 collet outlet on axis + 1 ER16



code 6314A0623 (ISO 30)
1 ER25 collet outlet on axis + 1 ER16



code 6314A0377 (HSK F63)
2 M10 boring+2 ER16 milling outlets. Ideal for door and window frames



code 6714A2322 (ISO 30)
2 M10 boring+2 ER16 milling outlets. Ideal for door and window frames



code H630244800 (HSK F63)
0°±360° corner notching aggregate with 1 horizontal milling outlet. Internal edge maker



code H630245800 (ISO 30)
0°±360° corner notching aggregate with 1 horizontal milling outlet. Internal edge maker



code H6314H0364 (ISO 30)
1 collet ER25 with 45° fixed outlet



code H630241700 (ISO 30)
OIL LUBRICATED - For heavy duty - 1 ER32 collet outlet on axis + 1 ER16



cod. H630228700 (HSK F63)
OIL LUBRICATED - For heavy duty - 1 ER32 collet outlet



cod. H630228500 (ISO 30)
OIL LUBRICATED - For heavy duty - 1 ER32 collet outlet



code H6314H0290 (HSK F63)
Available with HOMAG coupling
1 blade Ø100,4 Lamello + 1 ER32 collet outlet



code HASP0151 (HSK F63)
OIL LUBRICATED - For heavy duty -
1 outlet for folding - Ø20mm shaft
diameter



code HASP0154 (HSK F63)
OIL LUBRICATED - For heavy duty -
1 outlet for folding - Ø30mm shaft
diameter



code B6314B0041 (HSK F63)
Aggregate for lower faces milling



code B6314B0045 (ISO 30)
Aggregate for lower faces milling



code H6314H0572 (HSK F63)
For lower faces milling - inclination
15°



**code HASP0143 (multifunctional
coupling)**
2 ER25 tilting outlets



code HASP0124 (HSK F63)
1 ER20 tilting outlet + blade - 3 fixed
positions



code H6314H0196 (HSK F63)
1 ER25 tilting collet + blade Ø180 - 5
fixed positions



code H6314H0198 (ISO 30)
1 ER25 tilting collet + blade Ø180 - 5
fixed positions